DESERT WILLOW
WELLNESS

A Resource for Clinicians Supporting Clients with Addiction

Understanding Detox, Residential Care, and Clinical Collaboration

Palm Springs, California
800-939-0216
www.desertwillowwellness.com

When Outpatient Care Is No Longer Enough

Sometimes the structure of outpatient care is no longer sufficient to stabilize the situation. Substance use disorders rarely exist in isolation. They often intersect with trauma histories, anxiety, depression, and family dynamics that reinforce instability. **When these factors begin to exceed what can safely be managed in outpatient care, clinicians may begin considering whether a higher level of support is appropriate.**

In these moments, clinicians often find themselves weighing difficult questions:

- Is the situation serious enough to justify residential care?
- Will the client feel abandoned if I recommend treatment?
- What program can I trust to treat this person with dignity and clinical integrity?
- How will care be coordinated during and after treatment?

Detox and residential treatment can provide a structured period of stabilization where withdrawal risks are safely managed and individuals can begin therapeutic work before returning to outpatient care.

Desert Willow Wellness provides medically supported detox and structured residential treatment for adults experiencing substance use disorders and co-occurring mental health conditions.

This guide was created to help clinicians understand how care is delivered at Desert Willow Wellness and how we support continuity throughout the recovery process.

Who We Serve

Treatment planning is individualized to support medical safety, emotional stabilization, and long-term recovery. Desert Willow Wellness provides detox and residential treatment for adults (18+) experiencing substance use disorders and co-occurring mental health conditions. We serve individuals throughout Southern California and the Coachella Valley, as well as those traveling from outside the region for treatment.

Clients may present with:

- alcohol use disorder
- opioid, stimulant, or polysubstance use
- co-occurring anxiety, depression, or trauma-related conditions
- relapse following previous treatment attempts
- difficulty maintaining stability within outpatient care

When a Higher Level of Care May Be Indicated

Determining when outpatient care is no longer sufficient is rarely based on a single event. More often, clinicians observe a pattern of instability that begins to exceed what can safely be managed within weekly therapy. **A higher level of care may be appropriate when one or more of the following are present:**

- repeated relapse despite engagement in outpatient treatment
- escalating frequency or quantity of substance use
- withdrawal symptoms when attempting to stop
- overdose, blackouts, or other medical safety concerns
- substance use interfering with functioning at work, school, or home
- co-occurring mental health symptoms intensifying alongside substance use
- inability to maintain stability between outpatient sessions
- a home or social environment that cannot support stabilization

When these factors begin reinforcing one another, a structured setting with medical oversight and daily therapeutic support can interrupt the cycle and create a safer starting point for recovery. Residential treatment is not a replacement for outpatient work, but a temporary period of stabilization that allows individuals to address substance use before returning to ongoing care.

How We Think About Appropriate Placement

Determining the appropriate level of care is one of the most important clinical decisions in substance use treatment. Residential care can provide critical stabilization for some individuals, but it is not always the appropriate intervention.

Whenever possible, treatment should match the level of support that is clinically necessary while allowing individuals to maintain stability within their existing environment and relationships.

In some situations, individuals may be better served by intensive outpatient care, psychiatric stabilization, or expanded outpatient support rather than residential treatment.

For this reason, our admissions and clinical team approach placement conversations carefully. **When clinicians or families reach out, the goal is not simply to facilitate admission, but to help determine whether residential care is truly appropriate.**

If another level of care appears more suitable, we aim to communicate that transparently and help guide families toward resources that may better meet the individual's needs.

How Treatment Works at Desert Willow Wellness

Treatment at Desert Willow Wellness begins with stabilization. When detox is required, medical staff monitor clients closely to manage withdrawal safely and address immediate health needs.

Once medically stable, clients move into residential care within a deliberately small program. **Because the program operates at a limited scale, clinical, medical, and residential staff remain closely aware of each client's day-to-day progress.** Observations are shared frequently, allowing the team to respond quickly when something shifts clinically.



The residential environment is intentionally structured. Outside disruptions are reduced so clients can focus on stabilizing physically, engaging in therapy, and rebuilding daily rhythm during early recovery. The goal is not isolation, but creating the conditions where meaningful therapeutic work can actually occur.

Within this setting, treatment typically includes:

- daily group therapy focused on relapse patterns and recovery skills
- individual therapy with a licensed clinician
- case management and discharge planning coordination
- psychiatric or medical consultation when appropriate
- structured activities that support emotional regulation and recovery

---

Clinical Standards and Licensing

Desert Willow Wellness operates in accordance with established clinical and regulatory standards for substance use disorder treatment in California. **The program is licensed by the California Department of Health Care Services (DHCS) and accredited by The Joint Commission.**

Treatment services are delivered by licensed clinicians and trained professionals within a structured residential program aligned with ASAM levels of care, supporting medical safety, therapeutic engagement, and ethical standards of practice. The program adheres to federal and state confidentiality protections, including HIPAA and 42 CFR Part 2.

Individualizing Care Through Clinical Pathways

Not every individual entering treatment presents with the same clinical needs, recovery history, support system, or level of complexity. For this reason, Desert Willow Wellness does not approach stabilization as a one-size-fits-all process.

We utilize structured clinical pathways to help guide assessment, treatment engagement, family involvement, reassessment, and continuation-of-care planning throughout treatment. These pathways are flexible frameworks, not fixed programs, and may evolve as clinical needs become clearer.

Regardless of pathway, treatment remains individualized and clinically driven. The goal is to provide the level of support, assessment, and treatment most appropriate for each client's needs.v

Wellness Reset ***Initial Stabilization Pathway***	**Recovery Foundation** ***Short-Term Stabilization Pathway***	**Concierge Stabilization** ***Comprehensive Stabilization Pathway***
Typically 7-8 days Designed for individuals whose primary need is safe withdrawal management, stabilization, assessment, and initial treatment engagement.	**Typically 18-21 days** Designed for individuals who would benefit from additional time to stabilize, engage in treatment, develop recovery skills, and begin addressing factors contributing to substance use.	**Typically 28-45 days** Designed for individuals requiring deeper assessment, expanded clinical services, greater family integration, and more extensive continuation-of-care planning.
Focus areas may include: • medical stabilization and withdrawal management • initial biopsychosocial assessment • early therapeutic engagement • initial family communication • identification of next-step treatment recommendations	**Focus areas may include:** • comprehensive assessment • ongoing psychiatric oversight • weekly individual therapy • weekly case management • family consultation and support • collaborative continuation-of-care planning	**Focus areas may include:** • comprehensive biopsychosocial assessment • integrated psychiatric reassessment • neuropsychological consultation when indicated • twice-weekly individual therapy • twice-weekly case management • family integration and therapeutic involvement • enhanced discharge and transition planning

Clinical Pathway Comparison

These pathways are intended to support more individualized assessment, treatment engagement, family integration, clinical reassessment, and continuation-of-care planning based on each client's evolving needs. *Pathways may evolve throughout treatment based on clinical assessment, progress, psychiatric presentation, medical needs, and continuation-of-care recommendations.*

Stabilization Pathways	**Wellness Reset** ***Initial Stabilization Pathway***	**Recovery Foundation** ***Short-Term Stabilization Pathway***	**Concierge Stabilization** ***Comprehensive Stabilization Pathway***
	Focused withdrawal management and stabilization	Initial stabilization, assessment, and treatment engagement	Deeper clinical assessment, stabilization, family integration, and continuation-of-care planning
May Be Appropriate For	• Recent relapse requiring stabilization • Already connected to ongoing clinical support or a planned next step • Seeking withdrawal management and a safe recovery environment • Short-term stabilization before returning to established supports	• Requires stabilization beyond detox • Would benefit from additional assessment before determining next steps • Needs structured treatment engagement and clinical guidance • May benefit from support exploring continuation-of-care options	• More complex clinical, psychiatric, family, or recovery presentation • Would benefit from deeper assessment and ongoing reassessment • Needs greater family involvement, care coordination, or support planning • Would benefit from comprehensive continuation-of-care planning
Typical Length	7 - 8 Days	18 - 21 Days	28 - 45 Days
Level of Care	Detox (DTX)	Detox (DTX) Residential Treatment (RTC)	Detox (DTX) Residential Treatment (RTC)

Stabilization Pathways	**Wellness Reset** ***Initial Stabilization Pathway***	**Recovery Foundation** ***Short-Term Stabilization Pathway***	**Concierge Stabilization** ***Comprehensive Stabilization Pathway***
Health & Physical + **Psychiatric Oversight**	Initial evaluation	Ongoing psychiatric follow-up	Integrated psychiatric follow-up & reassessment
Biopsychosocial Assessment	Initial assessment	Comprehensive assessment	Comprehensive assessment
Behavioral Health Assessment	-	Initial behavioral assessment	Behavioral assessment at multiple stages
Neuropsychological Evaluation Support	-	-	Coordinated neuropsychological evaluation & support
Clinical Reassessment	Initial stabilization review	Ongoing clinical review	Ongoing reassessment & treatment review
Nursing Oversight	Daily (withdrawal management focus)	Daily (overall health)	Daily (overall health & mental health)
Clinical Group Programming	Gradual group engagement during stabilization	Structured clinical group participation	Structured clinical group participation
Therapy 1:1	Initial therapy session	Weekly therapy sessions	Twice-weekly therapy sessions
Case Manager 1:1	Initial case management session	Weekly case management sessions	Twice-weekly case management sessions
Family Integration	Family update	Family consultation & support	Family integration, support, & therapy
Continuation-of-Care Planning	Transition plan identified at admission	Collaborative care planning	Integrated continuation-of-care coordination

Structure That Supports Stabilization

Early recovery often requires temporary distance from the environments, relationships, and digital patterns that reinforce substance use. For this reason, Desert Willow Wellness maintains a structured residential setting designed to reduce external stimulation and allow clients to focus fully on stabilization and treatment.

One element of this structure is a thoughtful technology policy that limits access to personal phones and electronic devices during the early phase of treatment. Constant digital access can sustain outside stressors, relationship conflict, and real-time triggers that interfere with stabilization and therapeutic engagement.

By temporarily reducing these distractions, clients are better able to regulate sleep, focus on treatment, and engage more fully in therapy and peer support.

Other elements of the residential structure include:

- consistent daily programming and predictable routines
- a calm residential environment with clear expectations
- boundaries that reduce outside disruptions during early recovery

This structure is not intended to isolate clients, but to create the conditions necessary for meaningful recovery work during a critical period of change.

What Clinicians Can Expect During Treatment

When a client enters treatment, the level of clinical assessment, family involvement, and care coordination will be guided by individualized treatment planning and the client's evolving needs throughout treatment.

At Desert Willow Wellness, the clinical team works to support collaboration whenever appropriate and when client consent allows. Clinicians can generally expect:

- Intake coordination to gather relevant clinical history and treatment context
- Communication when clinically appropriate, with proper releases in place
- Discharge planning coordination to support continuity of care
- Encouragement for clients to return to their outpatient clinician whenever possible

Continuity of Care

Residential treatment is most effective when integrated within a broader continuum of care. With appropriate client consent and release of information, Desert Willow Wellness collaborates with clinicians during treatment and discharge planning. Communication may include treatment updates, clinical coordination, and planning for the client's transition back into outpatient care.

Whenever possible, clients are encouraged to return to their existing therapist or psychiatrist following residential treatment. Maintaining established therapeutic relationships often strengthens long-term recovery and stability.

When Challenges Arise During Treatment

Recovery is rarely linear. Clients may experience resistance, emotional volatility, or ambivalence about remaining in treatment. When these challenges arise, the clinical team works to support stabilization while maintaining appropriate therapeutic boundaries. This may include adjustments to therapeutic focus, additional individual support, or consultation among clinical and medical staff.

If a client chooses to leave treatment prematurely, staff focus on maintaining safety, providing resources, and encouraging continued engagement in recovery-oriented care. Setbacks are often part of the broader recovery process.

Planning for Life After Residential Treatment

Continued engagement in supportive services significantly improves the likelihood of long-term recovery stability. For this reason, **discharge planning begins early in treatment.** Before leaving residential care, each client works with the clinical team to develop a continuing care plan designed to support stability after treatment. This may include:

- ongoing individual therapy
- psychiatric follow-up
- step-down levels of care when appropriate
- sober living referrals
- community recovery support meetings
- structured accountability within the home environment

Insurance and Financial Considerations

Desert Willow Wellness operates as an **out-of-network provider**. Many insurance plans offer out-of-network behavioral health benefits that may reimburse a portion of treatment costs. Our team can assist families in verifying benefits and understanding potential reimbursement options.

For individuals without applicable insurance coverage, self-pay arrangements are available. When possible, our admissions team works with families to explore options that support access to care.

Financial discussions are handled transparently and respectfully so that families can make informed decisions about treatment.

Supporting Difficult Treatment Conversations

For many clinicians, raising the possibility of detox or residential treatment can be a delicate conversation. Clients may initially respond with fear, shame, or resistance, even when the recommendation is clinically appropriate.

Approaching the conversation with clarity and reassurance can help reduce defensiveness and increase openness to additional support. Helpful framing may include:

Emphasizing support rather than failure

Clients may interpret residential treatment as a sign that they have failed or that therapy is ending. It can be helpful to frame treatment as an added level of support rather than a replacement for the work already underway.

Example language: "I think we may need more support around this right now than weekly sessions alone can provide. A structured program could help stabilize things so the work we've been doing together has a stronger foundation."

Explaining the purpose of detox and residential care

Some clients imagine treatment as punishment or isolation. Clarifying the clinical purpose of detox and residential care can reduce anxiety.

Detox focuses on safely managing withdrawal and stabilizing the body. Residential care provides a structured environment where individuals can step away from immediate pressures and focus on recovery with daily therapeutic support.

Addressing concerns about leaving therapy

Clients may worry that entering treatment means losing the relationship with their outpatient clinician. Reassuring them that the goal is continuity of care can help ease this concern.

Example language: "The goal isn't to replace the work we're doing. The goal is to stabilize things so that when you return, we can continue building on it."

Normalizing hesitation

Ambivalence about treatment is common. Allowing space for questions and uncertainty often helps individuals move toward more thoughtful decision-making.

Encouraging open discussion about concerns can make the transition to a higher level of care feel collaborative rather than imposed.

Consultation and Collaboration

Supporting individuals navigating substance use and co-occurring mental health conditions often requires coordination across multiple levels of care. If you are considering whether a higher level of support may be appropriate for a client, our team is always available to talk through the situation. A brief clinical conversation can sometimes help clarify timing, options, or next steps.

These conversations are encouraged even when treatment may not ultimately be the right fit. Our goal is simply to be a thoughtful and reliable resource for clinicians working with individuals and families affected by addiction.

We also value the opportunity to connect in person. Desert Willow Wellness was intentionally designed as a calm, focused environment for recovery, and we are always glad to share the space and introduce the people responsible for the work happening here each day.

For clinicians in the Palm Springs area, we are always glad to show colleagues the space and introduce the team behind the work here. For those outside the region, we are equally happy to connect by phone or video to discuss a clinical situation, answer questions, or collaborate around a client's care.

Clinical Overview

Who We Serve	Adults (18+) with substance use disorders and co-occurring mental health conditions
Levels of Care	Detox & Residential Treatment
Clinical Pathways	• **Wellness Reset** (typically 7-8 days) • **Recovery Foundation (typically 18-21 days)** • **Concierge Stabilization (typically 28-45 days)** Length of stay recommendations are driven by ongoing clinical assessment, treatment engagement, medical and psychiatric needs, family considerations, and continuation-of-care planning.
Program Characteristics	• small residential setting • structured daily programming • trauma-informed therapy • multidisciplinary care team
Contacts	Admissions: 800-939-0216 Kurtis Girard, CIP: 805-208-0728 Alen Tsaturyan: 818-421-9415